

CLINTON COUNTY HEALTH DEPARTMENT

930 A Fairfax St., Carlyle, IL 62231

Phone (618) 594-2723 FAX (618) 594-5474

environmentalhealth@clintonco.illinois.gov

PRIVATE SEWAGE DISPOSAL SYSTEM INFORMATION PACKET

Permit Fee: \$125.00

1. All private sewage disposal systems, either new installations, replacements or modifications must have a valid construction permit issued by the Clinton County Health Department. Once a sewage permit is issued, County Zoning is notified and a copy of the permit is mailed to the property owner and Private Sewage Disposal System Installation Contractor.
2. **Follow these steps to obtain a valid Private Sewage Disposal System Construction Permit:**
 - a. **Contact a Licensed Private Sewage Installation Contractor.** The Sewage Contractor is responsible for designing your private sewage disposal system, performing necessary site visits, and helping you fill out the Private Sewage Disposal Application enclosed within this packet. The Sewage Contractor's signature is required on the Application. Please refer to the enclosed list of Licensed Sewage Installation Contractors working within Clinton County.
 - b. Existing homes or buildings must have all wastewater drains connected to the sewage system (stools, showers, sinks, laundry drains, etc.), excluding perimeter tile, sump pumps and gutter drains. Gray water discharges are prohibited.
 - c. A Soil Evaluation must be completed for all subsurface disposal systems. Contact a Certified Professional Soil Classifier for a Soil Evaluation. Soil samples should be taken in the area where the subsurface seepage field will be installed. Note, the majority of soils in Clinton County have a seasonal high water table. Please refer to the enclosed list of Certified Professional Soil Classifiers working within Clinton County.
 - d. Applicants wanting to install a surface discharging private sewage system will have to read and sign the EPA NPDES General Permit Information & Release Form. **Sewage Applications for surface discharging systems will not be processed if this form is not signed and submitted with the application.**
 - e. Properties located in flood zones may be required to obtain a FEMA LOMA document, for more information contact Clinton County Zoning, 618-594-6655. Properties nearby Carlyle Lake located within flowage easement should contact the Army Corp of Engineers, 618-594-2484, before applying for a sewage permit.
 - f. **Submit your Soil Evaluation Report, EPA NPDES General Permit Information & Release Form, completed Sewage Application with detailed System Design Sketch and \$125.00 permit fee to the Clinton County Health Department. Make checks payable to Clinton County Health Department, or pay online through AllPaid at clintoncountyhealth.com. Upon satisfactory review, a Construction Permit will be issued. Allow 15 days for sewage application review and processing.**
3. Installation of the sewage system must be performed by a State Licensed Private Sewage Disposal Contractor. Please refer to the enclosed list of Licensed Sewage Installation Contractors working within Clinton County. Property owners may install a permitted sewage system themselves.

4. Soil Evaluations are necessary to determine the size of the seepage field and depth to the Seasonal High Water Table. The bottom of a seepage field behind a septic tank must have a 2-3 feet separation from the Seasonal High Water Table. A subsurface seepage field (no surface discharge) behind an aeration tank can be 2/3 the required size and have a 1 foot separation from the bottom of the seepage field to the Seasonal High Water Table. Please refer to the enclosed list of Certified Professional Soil Classifiers working within Clinton County.
5. Curtain/Perimeter Drains surrounding a subsurface seepage field shall be located 10 feet from the nearest lateral and if possible installed on the upper slope above the sewage seepage field and on more than one side of the seepage field. **It is recommended that the curtain drain be a minimum of 4 feet deep, use geotextile sleeve around a 4 inch perforated pipe, fill the trench with clean river rock (not limestone rock) and cover the rocked trench with a maximum of 12 inches of fill dirt if any at all.**
6. Effluent Reduction Trench (ERT) is required on surface discharging aeration systems. The ERT is based on 150 Square Feet per Bedroom and must be spaced 10 feet apart or greater. The surface discharge point must be at least 25 feet from property lines and discharged effluent must remain on the property.
7. **Submitted sewage system design sketches must observe and label the minimum allowable distances and elevations outlined in the private sewage disposal system application. *Note: Aeration treatment discharges must be installed in a manner that will not create a nuisance ponding condition, either on or off your property.***
8. **The Clinton County Health Department's recommended setback distance between a subsurface sewage seepage field and Horizontal Geothermal Loops is 25 feet.**
9. The Illinois Private Sewage Disposal Licensing Act and Code [77 Ill Adm. Code 905] section 905.20(q) requires written acknowledgement from the property owner that they are aware of and accept the responsibility to service and maintain the private sewage disposal system in accordance with the Act and this Part. The property owner or the private sewage disposal system owner shall keep all maintenance records on forms provided or approved by the Department and make records available upon request by the Department or Local Authority. These records shall be transferred from owner to owner. Records shall be kept for the life of the system. **The signature by the property owners on the construction permit for any private sewage disposal system being installed, renovated or modified serves as written acknowledgement that the property owners are aware of and accept the responsibility to service and maintain the private sewage disposal system.**
10. **After a Private Sewage Disposal Construction Permit has been issued and you are ready to install the sewage system, contact the Health Department at least **48 HOURS** prior to construction to schedule an inspection. An onsite inspection is required for compliance with the Clinton County Private Sewage Code and State Private Sewage Disposal Act and Code prior to covering the system.**

Questions or concerns may be directed to the Clinton County Health Department, Environmental Health Programs Manager, 618-594-2723 ext. 324. Rev. 12/2022

CCHD Permit # _____

[] New System
[] Renovation/Replacement

CLINTON COUNTY HEALTH DEPARTMENT

930 A Fairfax St., Carlyle, IL 62231
PH (618) 594-2723 FAX (618) 594-5474
environmentalhealth@clintonco.illinois.gov

PRIVATE SEWAGE DISPOSAL SYSTEM APPLICATION

Permit Fee: \$125.00

IMPORTANT: Clinton County Health Department does not guarantee trouble free operation of this sewage treatment system by the issuance of a sewage permit or final approval of the installation. The contractor is responsible for the installation in compliance with the Illinois Private Sewage Disposal Licensing Act and Code. By signing this application the property owner assumes full responsibility for maintenance and record keeping, as outlined in Section 905.20(q) of the Illinois Private Sewage Disposal Licensing Act and Code; and assumes full responsibility for any nuisance or health hazard that might result from the use of the system. A designated area for a subsurface seepage system shall be secured prior to and throughout construction of the site.

Application Instructions: All portions of this application must be completed before a Sewage Permit is issued.

- 1. **Homeowner:** (current address)
Name: _____
Address: _____
Zip _____
Phone Number: _____
 - 2. **Licensed Sewage Contractor:**
Name _____
Address: _____
Phone Number: _____
License # _____
- (Note: Work not done by a homeowner must be done by a state licensed and Clinton Co. registered sewage contractor)

- 3. **Location:** Street Address: _____ Subdivision _____
City: _____ Zip: _____ Lot# _____
Acreage/Lot Size _____ **Parcel #** _____
Township _____ (N)(S) **Range** _____ (E)(W) **Section** _____

- 4. **Directions to Proposed Site:** (Highway #, Secondary Roads, Signs, etc.)

- 5. **Site Information:** (Check all that apply)
Residential dwelling _____ # of Bedrooms _____ Basement _____
Garbage Disposal _____ Water Softener _____ Hot Tub _____
Seasonal dwelling _____ Camper _____ Approximate days/year usage _____
Non-Residential (specify) _____ # of Employees _____ Water usage per day _____ gallons
Water Supply: Public _____ Well _____ Cistern _____ Other _____

- 6. **Soils Investigation:** (Include soil report with application)
Conducted by: _____ Date: _____
Soil Type _____ HWT _____ Loading Rate _____

- 7. **Proposed Private Sewage Disposal System:**
Does this system discharge to Waters of the United States? (no/yes list) _____ If yes, have you applied for an NPDES permit with the USEPA? (no/yes) Application Date: _____ Permit # _____

Septic Tank Size _____ gallons **Manufacturer** _____ **IL #** _____
Gravelless System _____ sq. ft. **Brand/style#** _____ **Trench width/max. depth** ____/____
Chamber System _____ sq. ft. **Brand/style#** _____ **Trench width/max. depth** ____/____
Buried Sand Filter _____ sq. ft. **Length** _____ ft. **Width** _____ ft.

Aerobic Treatment Unit
Brand Name/Model _____ **Treatment Capacity** _____ GPD
Manufacturer/Dealer _____ **Chlorination tank** _____ gallons
Location of audible and visual alarm _____ **Effluent discharge to:** _____
Effluent Receiving Trench _____ sq. ft. **Brand/style#** _____ **Trench width/max. depth** ____/____
Other (i.e. lift station size, evaporation rock bed dimensions) _____ **Variance Requested?** No/Yes

EPA, NPDES General Permit Information and Release Form

(Page 1)

The United States Environmental Protection Agency has made a final decision to issue the National Pollutant Discharge Elimination System (NPDES) General Permit for point source discharges of pollutants from new or replacement individual wastewater treatment systems to federally protected waters in Illinois. This General Permit will become effective on February 10, 2014.

According to the EPA, it is the responsibility of the potential discharger to determine whether or not his or her system might discharge to a water of the United States. EPA suggests a common sense way of evaluating whether you are required to be covered by a NPDES General Permit, if you were to install a new or replacement surface discharging system on your land, would effluent or pollutants from your system end up in a water of the United States or a conveyance to a water of the United States. The NPDES General Permit defines Waters of the United States as follows:

Waters of the United States- EPA's regulation at 40 C.F.R § 122.2 defines Waters of the United States as follows:

1. All waters which are currently used, were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide;
2. All interstate waters, including interstate "wetlands;"
3. All other waters such as intrastate lakes, rivers, streams (including intermittent streams), mudflats, sandflats, "wetlands," sloughs, prairie potholes, wet meadows, playa lakes, or natural ponds, the use, degradation, or destruction of which would affect or could affect interstate or foreign commerce including any such waters:
 - a. Which are or could be used by interstate or foreign travelers for recreational or other purposes;
 - b. From which fish or shellfish are or could be taken and sold in interstate or foreign commerce; or
 - c. Which are used or could be used for industrial purposes by industries in interstate commerce;
4. All impoundments of waters otherwise defined as waters of the United States under this definition;
5. Tributaries of waters identified in paragraphs 1 through 4 of this definition;
6. The territorial sea; and
7. "Wetlands" adjacent to waters (other than waters that are themselves wetlands) identified in paragraphs 1 through 6 of this definition.

If you have determined that discharge from your private sewage system may enter Waters of the United States or conveyances to Waters of the United States, then you will need to apply for an NPDES General Permit or install an alternative subsurface sewage treatment system. The Clinton County Health Department recommends installing a subsurface system.

EPA, NPDES General Permit Information and Release Form

(Page 2)

To obtain coverage under the NPDES General Permit:

- The property owner must submit a notice of intent (NOI) and supplemental information required in the General Permit as follows:
 - Technological Feasibility: Owners or operators must submit a written determination that concludes that an individual or Soil Based Cluster System and all other alternatives to a Surface Discharging system are not technologically feasible. Feasibility determinations for soil based systems shall be based on Soil Investigation and Site Evaluation Reports. **Note, alternatives to surface discharging systems are not limited to a septic tank followed by a subsurface seepage field.**
 - Economic Feasibility: EPA has developed a spreadsheet tool that must be used by the applicant to calculate average annualized costs and determine whether or not they exceed 2% of their annual household adjusted gross income, as averaged over the three most recent full calendar years.
- Send the NOI via certified mail to USEPA, Region 5, Water Division, Chicago.
- EPA will review the NOI and make a decision 30 calendar days from the date it receives the NOI.
- Unless coverage is denied, the property owner is eligible to discharge in accordance with the General Permit **30 calendar days** after EPA receives the NOI.

If coverage under the NPDES General Permit is denied, EPA will notify both the applicant and the applicable county health department of EPA's decision to deny permit coverage. EPA will notify both parties by telephone and follow up with a formal letter on the decision.

It is important to inform you that if you do obtain an NPDES General Permit, you will be required to comply with inspections, monitoring, effluent sampling every 6 months, reporting, records retention, and other tasks described in the permit.

For more information concerning NPDES General Permit go to the USEPA website at www.epa.gov/region5/water/npdestek/surfacedischarge/ or contact Mark Ackerman with the USEPA, 312-353-4145, ackerman.mark@epa.gov, or contact the Clinton County Health Department, 618-594-2723, ext. 324, environmentalhealth@clintonco.illinois.gov.

Applicants for a Clinton County Sewage Permit with an existing or proposed private sewage system that may discharge to Waters of the United States must sign and date below to certify that you fully understand the contents of this document and the requirements of the NPDES General Permit, and accept full responsibility for violations of the NPDES permit and nuisances or environmental health hazards that may result from the use of your system.

Signature of Property Owner

Date

SEPTIC SYSTEM DO's AND DON'Ts

DO's

- Learn the location of your septic tank and lateral field. Keep a sketch of it handy along with your maintenance records for service visits.
- Have your septic system inspected annually
- Have your septic tank pumped out regularly by a Licensed Private Sewage Pumper.
- Know the location of your septic tank inspection port. The inspection port should be within 12 inches of the ground surface.
- Call a professional whenever you experience problems with your system, or if there are any signs of system failure.
- Keep a detailed record of repairs, pumpings, inspections, permits issued, and other maintenance activities.
- Conserve water to avoid overloading the system. Be sure to repair any leaking faucets or toilets. Spread laundry out over the week. Once a week multiple loads are not recommended.
- Divert other sources of water, like roof drains, house footing drains and sump pumps, away from the septic system. Excessive water can overload the drain field.

DON'Ts

- Go down into a septic tank. Toxic gases are produced by the natural treatment processes in septic tanks and can kill in minutes. Extreme care should be taken when inspecting a septic tank, even when just looking in.
- Allow anyone to drive or park over any part of the septic system.
- Plant anything over or near the drain field except grass. Roots from trees or shrubs may clog and damage the drain lines.
- Dig in your drain field or build anything over it, and don't cover the drain field with a hard surface such as concrete or asphalt. The area over the drain field should have only a grass cover. The grass will prevent erosion and will help remove water.
- Make or allow repairs to your septic system without obtaining the required Health Department Permit. Use Licensed Private Sewage Disposal Contractors when needed.
- Use septic tank additives. These products usually do not help and some may even be harmful to your system.
- Use your toilet as a trash can or poison your septic tank and ground water by pouring harmful chemicals or cleansers down the drain. Harsh chemicals can kill the beneficial bacteria that treat your waste water.
- Use a garbage disposal without checking with your local Health Department to make sure your septic tank can accommodate the additional waste.
- Allow backwash from home water softeners or hot tub to enter the septic tank.

DO NOT FLUSH:

- **Coffee grounds**
- **Personal Medicines**
- **Disposable diapers**
- **Kitty litter**
- **Sanitary napkins**
- **Tampons**
- **Cigarette butts**
- **Condoms**
- **Fats, Grease or Oil**
- **Paper towels**
- **Hazardous chemicals**
 - **These items can destroy the biological digestion taking place within your septic tank.**

MAINTENANCE OF AERATION UNITS

OWNER RESPONSIBILITIES:

READ THE OWNER'S MANUAL, if you do not receive a manual please contact the installer, dealer or manufacturer.

- ✓ The aeration unit is not maintenance free and at some time may need to be pumped. The aeration unit should not emit any septic odors.
- ✓ On a monthly basis you should check for odors around the aeration unit and in the water being discharged. Report any odors and any discolored water (effluent) being discharged.
- ✓ Discharged effluent must be chlorinated, maintain chlorine feeder and chlorine tank as needed.
- ✓ Aerobic treatment units require evaluation and maintenance at least once every 6 months.

TO ENSURE PROPER OPERATION AND MINIMIZE PROBLEMS, PLEASE REVIEW AND FOLLOW THESE GUIDELINES:

1. DO NOT add strong detergents, disinfectants or bleach (other than very small amounts used in daily household cleaning and laundry) to the system.
2. DO NOT allow the discharge of any clear water discharges (water softeners, air conditioners, footing drains, sump pumps, etc.) into the system.
3. DO NOT allow any disposable items such as: diapers, tampons, sanitary napkins, large quantities of paper products, tobacco products, non-biodegradable items, into the system.
4. DO NOT allow coffee grounds, chemical waste, paint, personal medicines, oils or grease (such as cooking grease) into the system.
5. Anything you cannot eat or digest should not be placed in your aeration unit.

**ILLINOIS LICENSED PRIVATE SEWAGE INSTALLATION CONTRACTORS
REGISTERED WITH CLINTON COUNTY HEALTH DEPARTMENT**

Contact Information

James C. Markus – Aviston IL, 618-444-6683
Roger Koerkenmeier - Breese IL, 618-920-8566
Dennis Strubhart – Aviston IL, 618-228-7702
Matt Markus – Aviston IL, 618-973-9198
Ken Slatton – Greenville IL, 618-781-7563
Darren Hediger – Highland IL, 618-779-8001
Michael Ammann – Highland IL, 618-973-0880
Kurt Wuhrlé – Lebanon IL, 618-741-3849
Steve Bost – Poca hontas IL, 618-781-8350
Mark Steinkamp – Addieville IL, 618-246-7623
Corwin Bowen – Bethalto IL, 618-444-6718
Kenneth Lomax – Opdyke IL, 618-237-8230
Ralph Rakers – Carlyle, 618-581-3975
Jeremiah Johnson – Richview IL, 618-249-8888
Mike Kidd – Vandalia IL, 618-322-3133
John Mars III – Vandalia IL, 618-283-4658

Aeration Treatment Units Installed

Norweco
Norweco
Solar Air
Norweco
Hydro Action
Norweco
Norweco
Norweco
Norweco
Norweco
Aqua Safe
Maxx Air
Norweco
Enviro Flo
Cajun Airs
Norweco

SEPTIC TANK MANUFACTURERS & AERATION TREATMENT DEALERS

Company Information

Kohnen Concrete – Germantown IL, 618-523-4266
Farm Feeds Construction – Aviston IL, 618-228-7702
Lomax Septic Systems – Opdyke IL, 618-237-8230
Richview Concrete – Richview IL, 618-249-8888
AWS Sewer & Septic – Bethalto IL, 618-717-0390
Kidd’s Plumbing & Heating – Vandalia IL, 618-283-1355

Products Sold

Septic Tanks, Norweco
Septic Tanks, Solar Air
Septic Tanks, Maxx Air
Septic Tanks, Enviro Flo
Aqua Safe
Cajun Airs

ILLINOIS LICENSED PRIVATE SEWAGE PUMPERS

Kramer Septic Service – Breese IL, 618-526-2561
AAA Septic Tank Pumping – Carlyle IL, 618-749-5057

ILLINOIS CERTIFIED PROFESSIONAL SOIL CLASSIFIERS

Quality Testing – O’Fallon IL, 618-632-9900
Doug Gaines – Worden IL, 618-459-8619
Jerry Berning – Alton IL, 618-977-7481